# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,875,632 B2 Page 1 of 3

APPLICATION NO.: 10/731956 DATED: April 5, 2005

INVENTOR(S) : Warren M. Farnworth

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings:

In FIG. 3, add reference numeral --36-- and associated lead line as indicated; move lead line of right-hand side occurrence of reference numeral

"24" to extend to right-hand side of lateral periphery of semiconductor die "20" and mirror lead line of left-hand side occurrence of

reference numeral "24"

In FIG. 5, delete the two existing lead lines for reference

numeral "36" and create single lead line to extend straight down into open space as

indicated

In FIG. 6, change existing lead line of reference numeral

"36" to extend into open space directly

opposite reference numeral "34"

In the specification:

COLUMN 11, LINE 33, change "arm 74." to --movable arm 74.--

COLUMN 11, LINE 62, change "94 of substantially uniform depth 92,"

to --94A of substantially uniform depth 92A,--

COLUMN 13, LINE 40, change "platform surface 120" to --platform

surface 122--

COLUMN 13, LINE 49, change "platform surface 120," to --platform

surface 122,--

COLUMN 13, LINES 57-58, change "structures 56, 48" to --structure 56

and/or envelope 48--

COLUMN 13, LINE 67, change "structure 56, 48" to --structure 56 and/

or envelope 48--

COLUMN 14, LINE 2, change "structure 56, 48" to --structure 56 and/

or envelope 48--

COLUMN 14, LINE 13, change "56, 48." to --56 and/or envelope 48.--

COLUMN 14, LINE 20, change "56, 48" to --56 and/or envelope 48--

COLUMN 17, LINE 44, change "laser beam 12." to --laser beam 112.--

### UNITED STATES PATENT AND TRADEMARK OFFICE

## **CERTIFICATE OF CORRECTION**

PATENT NO. : 6,875,632 B2 Page 2 of 3

APPLICATION NO. : 10/731956 DATED : April 5, 2005

INVENTOR(S) : Warren M. Farnworth

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### In the claims:


CLAIM 1, COLUMN 20, LINE 54, change "between the at. least one" to --between

the at least one--

CLAIM 2, COLUMN 20, LINE 57, change "the damn structure" to --the dam

structure--

#### Please replace FIG. 3 with the following amended figure:



## Please replace FIG. 5 with the following amended figure:




Fig. 5

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,875,632 B2

632 B2 Page 3 of 3

APPLICATION NO.: 10/731956 DATED: April 5, 2005

INVENTOR(S) : Warren M. Farnworth

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Please replace FIG. 6 with the following amended figure:




Fig. 6

Signed and Sealed this

Twentieth Day of November, 2007

JON W. DUDAS
Director of the United States Patent and Trademark Office